



Thank you for purchasing Pier of d'Nort. This guide will help you install and secure your **Single Board Strap** safely and effectively. Inside, you'll find step-by-step instructions, diagrams, and important safety information. Please read everything before beginning installation to ensure stability, durability, and long-lasting enjoyment of your pier.

Important Warranty Disclaimer

Use only the components provided with your pier. Any modification or use of non-approved parts may compromise stability and safety and will void the warranty. Improper installation, handling, or use may result in structural failure, personal injury, or property damage.

DANGER	DANGER indicates a hazardous situation which, if not avoided, will result in death or serious injury
WARNING	WARNING indicates a hazardous situation which, if not avoided, could result in death or serious injury
CAUTION	CAUTION indicates a hazardous situation which, if not avoided, could result in minor or moderate injury
NOTICE	NOTICE is used to address practices not related to physical injury

NOTICE	The Board Straps are angled at the handle. Which way the strap faces will depend on the application of the board and will be outlined in the location steps.
NOTICE	The board won't sit flat and the board can't be secured without the panel runners facing you when installing.



Instructions:

Single Board Strap for Vertical Pier Mount and T&L Mount

PARTS INCLUDED:

Description	Qty
Single Board	1
Board Strap Kit	2

TOOLS: Phillips Head Screw Driver (Not Included)

Vertical Pier Mount



T&L Mount




Before Starting

Instructions are for both the Vertical Pier Mount and T&L Mount boards. Depending on which application the straps are being used, the straps will be in different locations on the board. Read carefully.

SETTING UP THE BOARD

STEP 1: The bottom of the board should be facing up and the panel runners that over hang the board should be pointing toward you (**picture A**).

STEP 2: Locate the two sets of pilot marks on the board. The outer marks are for the Vertical Pier Mount, and the inner marks are for the T&L Mount (**picture B**).



NOTICE


The Board Straps are angled at the handle.

Which way the strap faces will depend on the application of the board and will be outlined in the location steps.





PIER MOUNT STRAP LOCATION

- Position the strap with the handle angle facing the middle of the board (**picture C**).
- Using the outer pilot marks, line up the first screw and secure it to the board. Repeat with the second pilot mark for the other screw (**picture D**). This will be done with the other side as well.



T&L MOUNT STRAP LOCATION

- Position the strap with the handle angle facing the outside of the board (**picture E**).
- Using the outer pilot marks, line up the first screw and secure it to the board. Repeat with the second pilot mark for the other screw (**picture F**). This will be done with the other side as well.



INSTALLING THE BOARD

STEP 3: With the straps secured to the board, flip the board over with the top facing up and point the straps straight down. This allows the board to be easily placed.

STEP 4: The panel runners on the board should still be facing you when you lay the board on either mount (**picture E**).

NOTICE

The board won't sit flat and the board can't be secured without the panel runners facing you when installing.

STEP 5: The straps should line up with the retaining studs on both sides of the mount. Pull down on the straps and anchor them to the studs. Use either the existing hole in the strap (**picture G**) or the elongated hole (**picture H**).

